



SEDCO PIER INC.
 Ph. 951-674-4011 • Fax 951-674-5720
 33320 Mission Trail • Wildomar, CA 92595
 www.SedcoPier.com • info@sedcopier.com





567 West Shaw Avenue, Suite B
 Fresno, CA 93704
 (559) 497 2880
 (559) 497 2886 Fax

Test Report No. 11011-P 3K & 4K

A	B	C	D	Part #
Height	Max Height	Base Width	Leg Gauge	
14"	17"	11 1/4"	12	4014
16"	19"	11 1/4"	12	4016
18"	21"	11 1/4"	12	4018
20"	23"	11 1/4"	11	4020
22"	25"	11 1/4"	11	4022
24"	27"	11 1/4"	11	4024
26"	29"	11 1/4"	11	4026
28"	31"	11 1/4"	11	4028
30"	33"	11 1/4"	11	4030

- 1) 3/4" X11 GA. SAE Flatwasher ASTM A36
- 2) 1" O.D. x 13 GA.x1" Roll Tube ASTM A36
- 3) 1"x1" Formed Angle Legs ASTM A36
- 4) 1 1/4" x 13 GA. Flat Base ASTM A36
- 5) Weld Width 1/4" ER 705-X
- 6) Embossed Label SEDCO List #1976-1
 BSK # 11011-4K & 3K
 14" to 16" 4000 LBS 18"x30" 3000 lbs



FOR MORE INFORMATION GO TO WWW.P65WARNINGS.CA.GOV

ENGINEER APPROVAL



PACIFIC CONSULTING ENGINEERS
 9739 North Vista Dr. • Kingman, AZ 86401

STATE APPROVAL

MOBILE HOME & ACCESSORY STRUCTURE BUILDING COMPONENT
 HEALTH AND SAFETY CODE, DIVISION 13, PART 2
 APPROVED

Approval does not authorize or approve any omission or deviation
 from requirements of applicable State laws and regulations.

STATE OF CALIFORNIA
 DEPARTMENT OF HOUSING AND COMMUNITY DEVELOPMENT
 DIVISION OF CODES AND STANDARDS

By [Signature] Date 4/22/25
 (signature)

BP NO. 20-04

This Approval Expires 4/15/27



SEDCO PIER INC.
Ph. 951-674-4011 • Fax 951-674-5720
33320 Mission Trail • Wildomar, CA 92595
www.SedcoPier.com • info@sedcopier.com



BSK
Associates
Engineers & Laboratories

567 West Shaw Avenue, Suite B
Fresno, CA 93704
(559) 497-2880
(559) 497-2886 Fax

Test Report No. 11011-P 3K & 4K

A	B	C	D	E
Height	Max Height	Base Width	Min Height	Part #
28"	31"	12"	16"	1007
14"	17"	12"	6"	1005


- ① SCH.40 3/4" Pipe ASTM A36
- ② 1"x1" 10 GA. Formed Angle Legs ASTM A36
- ③ Weld Width 1/4" ER 705-X
- ④ 2" x 10 GA. Flat T Base with 3 pre-punched 1/4" holes ASTM A36
- ⑤ Embossed Label SEDCO
List # 1053-2 BSK # 11011-P 3K & 4K
14" to 28" 4000 lbs
*Based on Tested Ultimate Load Divided by a Factor of 3



FOR USE WITH COMMERCIAL MODULAR BUILDINGS ONLY

FOR MORE INFORMATION GO TO WWW.P65WARNINGS.CA.GOV

ENGINEER APPROVAL



PACIFIC CONSULTING ENGINEERS
9739 North Vista Dr. • Kingman, AZ 86401

STATE APPROVAL

MOBILEHOME & ACCESSORY STRUCTURE BUILDING COMPONENT
HEALTH AND SAFETY CODE, DIVISION 13, PART 2
APPROVED

Approval does not authorize or approve any omission or deviation
from requirements of applicable State laws and regulations.

STATE OF CALIFORNIA
DEPARTMENT OF HOUSING AND COMMUNITY DEVELOPMENT
DIVISION OF CODES AND STANDARDS

By [Signature] Date 4/22/25
(signature)

BP NO. 20-03

This Approval Expires 4/5/27